## Quarterly Fire Safety Equipment Checklist

Use this form to record the inspection of the building's fire protection equipment. Building alarm and suppression systems should be inspected by a certified third party on an annual basis. Fire hydrants should be flow-tested on at least an annual basis. Remember to call the monitoring station and have the system placed in "TEST" mode prior to conducting any check. Report all sprinkler system impairments to GAIG Loss Control.

Facility Name	Date		
Conducted By			
Building Exterior		Yes	No
Are there any Post Indicator Valves on the property?			
(If no, move on to next section)			

Remember to call the monitoring station and have the system placed in "TEST" mode prior to conducting any check.

PIV#	Can you see Open or Shut in the viewing window?		Is the wrench secured with a padlock?		Is there an electronic tamper switch installed?		Are you able to close and reopen the valve?	
	Yes	No	Yes	No	Yes	No	Yes	No

<sup>\*</sup>The viewing windows should be legible, the wrenches should be secured with a padlock, and the alarm company should receive an alarm when the valve is closed if it is equipped with an electronic tamper switch.



If yes, how many? \_\_\_

Fire Hydrants								
Are fire hydrants on the property? (If	no, move on	to the Gen	eral Observa	tions sectio	n)			
If yes, please indicate how many			_					
Hydrant #	Is the hydrant adequately painted?		Are hydrant openings clear from obstruction?		Does the hydrant flow water?		Are hydrant caps secure?	
	Yes	No	Yes	No	Yes	No	Yes	No
Are all hydrants protected from being	struck by m	noving obje	cts?					
Fire Department Connection							Yes	No
Is there a fire department hook-up?								
If yes, are the openings free from obstruction?								
Are there covers over the openings?								
General Observations							Yes	No
Does the front entrance have a fire of	lepartment ra	apid access	system?					
Is the property address clearly displayed for first responders?								
Are there large concentrations of combustible materials within 50 ft of the building?								
Are the grounds properly illuminated?								
Are exit doors blocked/locked or otherwise prohibited from opening?								
Is smoking controlled?								

Notes



## **Building Interior**

Please complete a row of the following table for each sprinkler riser in the building(s). If not applicable, move on to next section.

Riser#	Gauge pressure reading with Main Drain closed.	Does Main Drain open and flow water?		Gauge pressure reading with Main Drain open and flowing water.	Does the riser have an electronic flow switch?	
		Yes	No		Yes	No
*The alarm monitor should receive a	n alarm when the main drain is opened.					
Are there any inspector's	s test valves for the sprinkle	r system?				
How many?						
When the inspector's tes	st valves are opened, does	water flow t	horough the	e sprinkler system piping?		
Does an alarm sound wi	thin at least 90 seconds of	the inspecto	or's test val	ve being opened?		
Is the alarm system insp	ected annually by a qualifie	d contracto	r?			
Is smoking prohibited in	the building?					
Fire & Smoke Compar	tment Doors				Yes	No
Is the building equipped v	with Fire Rated Doors? (If no,	skip this sec	ction)			
Are they in good repair?						
Do they automatically clo	se during alarm conditions?					
Are all components in goo	od repair? (Examples: Cables	, Closing Arr	ms, Pullies,	Magnet Faces, Cylinders)		
Fire Safety Equipment	:				Yes	No
Are all fire extinguishers f	ully charged?					
Are all fire extinguishers of	checked monthly?					
Are all fire extinguishers a	accessible and adequately loc	ated accord	ling to code	?		
Are all fire extinguishers in	nspected annually?					
Are all fire extinguishers a	appropriate for the hazards pr	esent?				
Are all sprinkler heads fre						



GAIG.com/LC Page 3 of 4

Egress Routes	Yes	No
Are all exit doors unlocked from the inside when the building is occupied?		
Are all egress routes clear and unobstructed?		
Are there at least two exits for every floor of the building?		
Storage	Yes	No
Are storage rooms, trash rooms and utility rooms separated from other areas by one-hour fire barriers or sprinkler protection?		
Are compressed gas cylinders stored in a separate area, away from ignition sources, and secured from tipping over?		
Is there at least 3 ft of clearance around all heating units and electrical equipment?		
Is the inside storage of flammable or combustible liquids limited so that not more than 120 gal (454 L) of such liquids are stored in any one cabinet, and not more than three cabinets located in the same storage area?		
Is the indoor storage of idle wood pallets limited to floor storage not exceeding 6 ft (1.8 m) in height, and in stacks (of four pallet groups) separated by at least 8 ft (1.4 m), unless the area is protected by an appropriately designed automatic sprinkler system?		

## **Action Items**

Unsatisfactory Condition Identified	<b>Control Measure</b>	Assigned To	Date Due	Complete	
				Yes	No

Please ensure that the alarm monitoring company is called and instructed to take the system out of "TEST" mode. Verify that the alarm company received tamper and flow alarms from the system. Any deficiencies noted in this test shall be corrected ASAP.

The information presented in this publication is intended to provide guidance and is not intended as a legal interpretation of any federal, state or local laws, rules or regulations applicable to your business. The loss prevention information provided is intended only to assist policyholders in the management of potential loss producing conditions involving their premises and/or operations based on generally accepted safe practices. In providing such information, Great American does not warrant that all potential hazards or conditions have been evaluated or can be controlled. It is not intended as an offer to write insurance for such conditions or exposures. The liability of Great American Insurance Company and its affiliated insurers is limited to the terms, limits and conditions of the insurance policies underwritten by any of them.

The Great American Insurance Group eagle logo and the word marks Great American® and Great American Insurance Group® are registered service marks of Great American Insurance Company. © 2020 Great American Insurance Company. All rights reserved. Great American Insurance Group, 301 E. Fourth St., Cincinnati, OH 45202. F13932-LC (12/20)

