

Specialty Human Services Division

POOL AND HOT TUB QUESTIONNAIRE

umber of pools on your premises:					
omplete chart below for each pool. If more than 3 pools	1				
Provide the following information:	POOL 1	POOL 2	POOL 3		
Size, location and description:					
ndicate number of drains:					
ndicate shallow-end depth:					
ndicate deep-end depth:					
How is depth marked (e.g. painted markers on pool pottom, life line)?					
Describe any diving boards, diving platforms, lides or water trampolines:					
ndoor?	YES 🗋 NO 🗋	YES 🗋 NO 🗋	YES 🗋 NO 🗋		_
Enclosed by "child proof" gate?	YES NO D	YES 🗋 NO 🗋	YES 🗋 NO 🗋		
Slip resistant surfacing?	YES 🛄 NO 🛄	YES 🗋 NO 🗋	YES 🗋 NO 🗋		_
Pool chemicals kept in a dry, ventilated, ocked storage area?	YES NO D	YES 🗋 NO 🗋	YES NO NO		
Ooes pool have a pump safety shutoff?	YES NO D	YES 🗋 NO 🗋	YES 🗋 NO 🗋		
Nalways a certified lifeguard on duty?	YES NO D	YES 🗋 NO 🗋	YES 🗋 NO 🗋		
Safety equipment easily accessible within the pool area .e. hooks, life preservers, kick boards)?	YES 🗋 NO 🗋	YES 🗋 NO 🗋	YES 🗋 NO 🗋		
Phone in the pool area with emergency phone numbers posted nearby?	YES 🗋 NO 🗋	YES 🗋 NO 🗋	YES 🗓 NO 🗓		
Suspended ceilings above pool?	YES 🗋 NO 🗋	YES 🗋 NO 🗋	YES 🗋 NO 🗋		
you have a swim team, dive team or water polo team' yes, provide details:				YES 🗖	
o you have any water park playground areas?				YES 🗀	
yes, describe surfacing and playground elements:					_
you own or operate any hot tubs or whirlpools?				YES 🛄	
yes, a. Do all hot tubs or whirlpools have at least 2 di	rains?			YES 📮	
b. Is there a clearly marked emergency pump sh	outoff switch nearby?			YES 🗖	
c. Are temperatures always kept at 104° or less?)			YES 🗖	
d. Is the hot tub operated on an automatic timer	?			YES 📮	
e. Are unsupervised minors prohibited?				YES 🛄	
ave all pools and spas been equipped with anti-entrapr	nent drain covers or sys	tems?		YES 📮	
yes, describe systems installed and date for each poo	or spa:				_